

AEROSOL SYSTEMS INC -- TM-2015 BELT DRESSING -- 6850-00D007282

===== Product Identification =====

Product ID:TM-2015 BELT DRESSING
MSDS Date:12/13/1988
FSC:6850
NIIN:00D007282
MSDS Number: CHLDQ
=== Responsible Party ===
Company Name:AEROSOL SYSTEMS INC
Address:9150 VALLEY VIEW RD
City:MACEDONIA
State:OH
ZIP:44056-2013
Country:US
Info Phone Num:216-467-4195 / 216-467-6641
Emergency Phone Num:216-467-4195 / 216-467-6641
CAGE:2F853

=== Contractor Identification ===

Company Name:AEROSOL SYSTEMS INC
Address:9150 VALLEY VIEW RD
Box:City:MACEDONIA
State:OH
ZIP:44056-2013
Country:US
Phone:330-467-4195 / 330-467-6641
CAGE:2F853
Company Name:BALKAMP INC
Address:2601 S HOLT ROAD
Box:City:INDIANAPOLIS
State:IN
ZIP:46241
Country:US
Phone:317-244-7241
CAGE:70842
Company Name:NAPA
Box:UNKNOW
CAGE:0NBN5

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS
RTECS #:9999999ZZ
Fraction by Wt: 73%
Other REC Limits:NONE RECOMMENDED

Ingred Name:HEXANE (N-HEXANE) (CERCLA)
CAS:110-54-3
RTECS #:MN9275000
Fraction by Wt: 7%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:50 PPM; 9596
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA 313)
(CERCLA)

CAS:71-55-6
 RTECS #:KJ2975000
 Fraction by Wt: 12%
 Other REC Limits:NONE RECOMMENDED
 OSHA PEL:350 PPM
 ACGIH TLV:350 PPM/450STEL;9596
 EPA Rpt Qty:1000 LBS
 DOT Rpt Qty:1000 LBS
 Ozone Depleting Chemical:1

Ingred Name:PROPANE
 CAS:74-98-6
 RTECS #:TX2275000
 Fraction by Wt: 8%
 Other REC Limits:NONE RECOMMENDED
 OSHA PEL:1000 PPM
 ACGIH TLV:ASPHYXIAN; 9596

=====
 Hazards Identification
 =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
 Health Hazards Acute and Chronic:MAY CAUSE DIZZINESS OR NARCOSIS IN
 HIGH VAPOR CONCENTRATIONS.WILL CAUSE DEFATTING OF SKIN.EFFECTS ARE
 REVERSIBLE.LONG TERM EXPOSURE (YEARS) VAPOR MAY CAUSE LUNG,LIVER OR
 KIDNEY DAMAGE.THE SOLVENTS LISTED HAVE BEEN REPORTED TO AFFECT
 CENTRAL NERVOUS SYSTEM.
 Explanation of Carcinogenicity:PER MSDS:PRESENTLY NOT ON ANY LIST.
 Effects of Overexposure:INHAL-DIFFICULTY IN BREATHING. SKIN-REDNESS.
 INGESTION-VOMITING.
 Medical Cond Aggravated by Exposure:HEART DISEASE;RESPIRATORY
 DISORDERS.

=====
 First Aid Measures
 =====

First Aid:GIVE OXYGEN-DONT INDUCE VOMITING-GASTIC LAVAGE-WASH EYES AND
 SKIN W/WATER.

=====
 Fire Fighting Measures
 =====

Flash Point Method:TCC
 Flash Point:-40F,-40C
 Autoignition Temp:Autoignition Temp Text:NP
 Lower Limits:1.8
 Upper Limits:12.0
 Extinguishing Media:USE WATER FOG, DRY CHEMICAL OR CARBON DIOXIDE.
 Fire Fighting Procedures:AEROSOL CANS MAY RUPTURE WHEN HEATED.
 Unusual Fire/Explosion Hazard:HEATED CANS MAY BURST.

=====
 Accidental Release Measures
 =====

Spill Release Procedures:USE ABSORBENT SWEEPING COMPOUND TO SOAK UP
 MATERIAL.PUT INTO CONTAINER.DISPOSE AS HAZARDOUS WASTE.
 Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
 Handling and Storage
 =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS, OR OPEN
 FLAME.STORE AT TEMPERATURES BELOW 120F.

Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS IF TLV LIMIT EXCEEDING.

Ventilation:LOCAL EXHAUST:YES.

Protective Gloves:NONE REQUIRED IF SPRAYING

Eye Protection:WEAR EYE PROTECTION

Other Protective Equipment:LONG SLEEVE AND LONG PANTS.

Work Hygienic Practices:DONT SMOKE WHILE USING.WASH HANDS AFTER USE.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:V3

Boiling Pt:B.P. Text:-40F,-40C

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pres:30

Vapor Density:4.0

Spec Gravity:0.9

pH:NP

Viscosity:NP

Evaporation Rate & Reference:<1, BUTYL ACETATE=1

Solubility in Water:SOLUBLE

Appearance and Odor:WHITE/SOLVENT ODOR

Percent Volatiles by Volume:NP

Corrosion Rate:NP

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

THE ABOVE SOLVENTS ARE NCOMPATIBLE WITH STRONG OXIDIZERS.NOT COMPATIBLE WITH ACTIVE METALS.

Stability Condition to Avoid:HIGH TEMPERATURES.

Hazardous Decomposition Products:IN FIRE WILL DECOMPOSES TO WATER,CARBON DIOXIDE,HALOGEN ACIDS AND PHOSGENE.

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE AS HAZARDOUS WSTE IN ACCORDANCE WITH EPA RCRA.CONTAINS TOXIC CHEMS SUBJ TO REPORTING REQMTS OF SEC 313 TITLE III OF SARA/40CFR372.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.