



Material Safety Data Sheet

Revision Date: 2007-06-13 15:37:52

I. PRODUCT AND COMPANY IDENTIFICATION

Product Name: TRAVELLERS GL-5 85W140 GEAR OIL
Product Code: TS55145G

Emergency Phone: (800) 424-9300 (202) 483-7616 (CHEMTREC)
Poison Control Center: (800) 222-1222
Company: TRACTOR SUPPLY CO.
 200 Powell Place
 Brentwood, TN 37027

Information Phone: 1-877-872-7721
Revision Number: 4

II. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	%	CAS #	OSHA Exposure Limits
Residual oils, petroleum, solvent-refined	60 - 90	64742-01-4	No PEL established
Olefin sulfide	1 - 5	No CAS #	No PEL established

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

III. HAZARDS IDENTIFICATION

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Inhalation of vapors (generated at high temperatures only) or oil mist may cause mild irritation of the nose, throat, and respiratory tract.
Skin Contact: Lubricating oils are generally considered no more than minimally irritating to the skin.
Eye Contact: Lubricating oils are generally considered no more than minimally irritating to the eyes. May cause slight irritation of the eyes.
Ingestion Irritation: Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.
Ingestion Toxicity: Lubricating oils are generally no more than slightly toxic if swallowed.

Long-Term (Chronic) Health Effects:

Reproductive and Developmental Toxicity: No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Skin Contact: Prolonged and repeated contact may result in defatting and drying of the skin that may cause various skin disorders such as dermatitis, folliculitis, or oil acne. Other adverse effects not expected from brief skin contact.

HMIS Ratings:

Health: 1
Flammability: 1
Reactivity: 0
PPE: B
 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

IV. FIRST-AID MEASURES



Material Safety Data Sheet

Revision Date: 2007-06-13 15:37:52

- Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.
- Eyes:** Flush with water. If irritation occurs, get medical attention. Rest eyes for 30 minutes. If redness, burning, blurred vision, or swelling occur, transport to nearest medical facility for additional treatment.
- Skin Contact:** Remove contaminated clothing and shoes and wipe excess from skin. Flush skin with water, then wash with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. If redness, swelling, pain, and/or blisters occur, transport to the nearest medical facility for additional treatment.
- Ingestion:** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this MSDS.
- Notes to Doctor:** Aspiration during swallowing or vomiting may severely damage the lungs.

V. FIRE FIGHTING MEASURES

- Flammability Summary:** **Combustible at elevated temperatures**
- Extinguishing Media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid.
- Fire and/or Explosion Hazards:** Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
- Fire Fighting Methods and Protection:** Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.
- Hazardous Combustion Products:** Carbon dioxide, Carbon monoxide
- Flash Point:** **207 deg. C, [405 deg. F]**

VI. ACCIDENTAL RELEASE MEASURES

- Personal Precautions and Equipment:** No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS
- Methods for Clean-up:** No special spill clean-up considerations. Collect and discard in regular trash.

VII. HANDLING AND STORAGE

- Handling Technical Measures and Precautions:** Mildly irritating material. Avoid unnecessary exposure.
- Storage Technical Measures and Conditions:** Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Do not expose to extreme temperatures or flames.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering Measures:** No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use.
- Respiratory Protection:** No respiratory protection required under normal conditions of use.
- Eye Protection:** Wear safety glasses when handling this product if there is a likelihood of contact with eyes.



Material Safety Data Sheet

Revision Date: 2007-06-13 15:37:52

Skin Protection: Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves: Neoprene

Control Parameters:

Chemical Name	ACGIH TLV-TWA	ACGIH STEL	IDLH
Residual oils, petroleum, solvent-refined	No TLV		ND
Olefin sulfide	No TLV		ND

OSHA PEL TWA for oil mist is 5mg/m³, ACGIH TLV TWA for oil mist is 5mg/m³, ACGIH STEL for oil mist is 10mg/m³

IX. PHYSICAL AND CHEMICAL PROPERTIES

pH:	ND
Solubility in Water:	Not determined
Specific Gravity:	0.927
Bulk Density:	7.419
Flash Point:	207 deg. C

X. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions.
Conditions to Avoid:	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents
Hazardous Decomposition Products:	Carbon monoxide, sulfur oxides, aldehydes, and other petroleum decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus, calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.

XI. TOXICOLOGICAL INFORMATION

Component Toxicology Data (NIOSH):

Chemical Name	CAS Number	LD50/LC50
No data available		

XII. ECOLOGICAL INFORMATION

Overview:	Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.
Mobility:	No data
Persistence:	No data
Bioaccumulation:	No data
Degradability:	No data

XIII. DISPOSAL CONSIDERATIONS

Disposal of Packaging:	Recycle containers whenever possible.
Disposal Methods:	Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

XIV. TRANSPORTATION INFORMATION



Material Safety Data Sheet

Revision Date: 2007-06-13 15:37:52

DOT & IMDG: NOT RESTRICTED

XV. REGULATORY INFORMATION

TSCA Status: A component (or components) of this product is not listed on the TSCA Inventory of Existing Chemical Substances.

Chemical Name	CAS #	Regulation	% Range
Toluene	108-88-3	SARA 313	0.01 - 0.1
Toluene	108-88-3	CA Prop 65 - Dev. toxicity	0.01 - 0.1

XVI. ADDITIONAL INFORMATION

Disclaimer: This material safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.