



Spartan Chemical Company, Inc.

Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

SHINELINE SEAL

Product Number: 4004

Product Division:

Janitorial

Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee OH 43537

Product/Technical
Information: **1-(800)-537-8990**

Medical Emergency: **1-(888)-314-6171 (24 hours)**

Chemical Leak/Spil
Emergency: **CHEMTREC 1-(800) 424-9300 (24 hours)**

Shipping Description: Buffing, polishing compounds, liquid, n.o.s.

NFPA Ratings:

Health: 1- Slight

Fire: 0 - Minimal

Reactivity: 0 - Minimal

HMIS Ratings:

Health: *1 - Slight; Chronic Hazard

Fire: 0 - Minimal

Reactivity: 0 - Minimal

Pers. Prot. Equip.: See Section VIII

II: HAZARDOUS INGREDIENTS">SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	% W	CAS Registry No.	Table Z- 1 - A			NTP, IARC or OSHA Carcinogen
			TWA mg/m ³	STEL mg/m ³	CEILING mg/m ³	
Acrylic polymer	10-15	25987-66-0	Not Established	Not Established	Not Established	No
*Diethylene glycol monoethyl ether	5-10	111-90-0	140 (AIHA)	Not Established	Not Established	No
Tributoxyethyl phosphate	1-5	78-51-3	Not Established	Not Established	Not Established	No
Polyethylene emulsion	1-5	67892-91-5	Not Established	Not Established	Not Established	No
*Ammonium hydroxide	1-5	1336-21-6	35 (ammonia)	Not Established	Not Established	No
Propylene glycol	1-5	57-55-6	Not Established	Not Established	Not Established	No
*Dibutyl phthalate	1-5	84-74-2	5	Not Established	Not Established	No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

SECTION III: PHYSICAL DATA

Boiling Point:	210 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	8.0-8.5	Specific Gravity (H ₂ O=1):	1.029
Evaporation Rate (but.ace.=1):	<1	Percent Solid by Weight:	24-26
Physical State:	Liquid		
Appearance & Odor:	Milky emulsion, acrylic odor		

SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 200 °F	Method Used:	ASTM-D56
Flammable Limits:	N/A	Flame Extension:	N/A
Extinguishing Media:	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.		
Special Fire Fighting Procedures:	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Dried Product can burn. Combustion products are toxic.		

SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes
Effects of Overexposure-Conditions to Avoid:	<p>Causes mild eye irritation: Symptoms may include pain, redness, swelling and tearing.</p> <p>May cause skin irritation: Symptoms may include redness, pain and swelling.</p> <p>Harmful if swallowed: Symptoms may include nausea, vomiting, pain and diarrhea.</p> <p>Inhalation of vapors may cause respiratory irritation, headache and nausea.</p> <p>Contains diethylene glycol monoethyl ether which may be harmful if absorbed through the skin. Diethylene glycol monoethyl ether may cause central nervous system and respiratory depression, gastrointestinal tract, liver and kidney impairment.</p> <p>Contains tributoxyethyl phosphate which may cause nervous system effects such as ataxia, breathing abnormalities and tremors with prolonged or repeated contact.</p> <p>Contains dibutyl phthalate which causes adverse reproductive effects in laboratory animals.</p> <p>Avoid contact with eyes and skin. Avoid breathing product vapors or mist. Use with adequate ventilation. Do not taste or swallow. Wash thoroughly after handling.</p>		
Conditions Aggravated by Use:	Use of this product may aggravate preexisting eye; skin and respiratory disorders such as asthma and dermatitis.		

Emergency & First Aid Procedures:

Eyes:	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention.
Skin:	Remove contaminated clothing. Flush skin thoroughly with plenty of water. Get medical attention if irritation persists. Wash contaminated clothing before reuse.
Ingestion:	Do not induce vomiting unless told to do so by medical personnel. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. If irritation persists get medical attention.

SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	None known
Hazardous Decomposition Products:	None known	Hazardous Polymerization:	Will Not Occur

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled:	Dike and contain spill with inert material (sand, earth, commercial absorbent, etc.) and transfer to containers for disposal. Rinse area with water and flush to sanitary sewer. Keep spill out of storm sewers and waterways.
Waste Disposal Method:	Assure conformance with federal, state and local regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided. However, if exposure levels are exceeded (see Section II) or if respiratory irritation occurs, a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves are recommended.
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Keep from freezing.
Other Precautions:	Keep out of reach of children.

© SCC 06/27/2005
SHINELINE SEAL

Name: Ronald T. Cook
Effective Date: 06/27/2005

Title: Manager, Regulatory Affairs
Supercedes: 09/29/1999

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Sections I, II, IV, V, VII, VIII & IX

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.